

AQ-Expert Portable Indoor Air Quality Monitor Providing the latest in Monitoring for IAQ testing in Hospitals, Buildings, Schools, Labs, Clean Rooms, Airports

Features

- ▶ Available in two models, CO2 range PPM or 0 to 20%
- ▶ Up to 11 Multiple Parameters CO2, CO, % RH, Temp, VOC, O2, NO2,

Ozone, SO2, H2S, Barometric Pressure

- ▶ Active Internal Sampling Pump
- ▶ Large Internal Memory for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- ▶ Wireless Communications with Bluetooth For more information visit our web site at:

https://www.tnp-instruments.com/AQ_expert_portable_indoor_air_quality_meter.html



AQ PRO Environmental Indoor Air Quality Meter Customize with UP TO 3 Gas Sensor Parameters

Multiple Parameters - Up to 6 Simultaneously (Customize to YOUR Needs) CO2, CO, % RH, Temp, Formaldehyde (CH2O), O2, NO, SO2, H2S, NO/NOx, Barometric Pressure, Air Velocity

Features

- ▶ REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- **▶** Wireless Communications with Bluetooth
- ▶ Active Internal Sampling Pump
- ▶ PC Software & USB Included
- **▶** Barometric Air Pressure
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- **▶** Large Internal Memory
- ▶ Li-Ion Rechargeable Battery

For more information visit our web site at:

https://www.tnp-instruments.com/AQ-PRO-indoor-air-quality-meter.html



AQ VOC Environmental Indoor Air Quality Meter Kit WITH Volatile Organic Compounds (VOC) Sensor

Choice of (1) VOCs Sensor Range: VOCs (0-20,000 ppb) (0-20 ppm) or VOCs (0-200 ppm) Sensor. Add UP TO 2 More Gas Sensors Including Formaldehyde (CH2O)

Features

- ▶ Measure 4 Parameters Volatile Organic Compounds (VOC) Sensor, % Relative Humidity, Ambient Temperature and Barometric Pressure
- ▶ 2000 Points Internal Memory for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- **▶** Wireless Communications with Bluetooth
- ▶ Active Internal Sampling Pump
- ▶ PC Software & USB Included
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- ▶ Li-Ion Rechargeable Battery

For more information visit our web site at:

https://www.tnp-instruments.com/aq-pro-v-indoor-air-quality-meter.html



Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com
1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456



AQ COMFORT-1 Portable Indoor Air Quality Monitoring Kit with Carbon Dioxide (CO2) Range 0 to 5000 ppm

Features

- ▶ Active Internal Sampling Pump
- ▶ Measurement Parameter Carbon Dioxide (CO2)
- ▶ Active Internal Sampling Pump
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- ▶ Easy to Use Menu System with Easy Built-in, Menu-driven Calibration Procedure

For more information visit our web site at:

https://www.tnp-instruments.com/AQ_comfort_indoor_air_quality_meter.html



Features

- ▶ Measurement Parameter Carbon Dioxide (CO2) and Ambient Temperature
- ▶ Active Internal Sampling Pump
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- Easy to Use Menu System with Easy Built-in, Menu-driven Calibration Procedure

For more information visit our web site at:

https://www.tnp-instruments.com/AQ-comfort-2-indoor-air-quality-meter.html

AQ COMFORT-3 Indoor Air Quality Meter Measure Carbon Dioxide (CO2), Relative Humidity, Temperature and Pressure

Features

- ▶ Measurement Parameter Carbon Dioxide (CO2), % Relative Humidity, Ambient Temperature, Wet Bulb & Dew Point and Differential Pressure
- Large Internal Memory (2000 points) for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- ▶ Active Internal Sampling Pump
- ▶ Wireless Communications with Bluetooth
- ▶ Easy to Use Menu System with Easy Built-in, Menu-driven Calibration Procedure

For more information visit our web site at:

https://www.tnp-instruments.com/aq-comfort-3-indoor-air-quality-meter.html

AQ COMFORT-4 Indoor Air Quality Meter with Carbon Dioxide (CO2) 0 to 5000 ppm and CO 0 to 200 ppm Ranges

Features

- ▶ Measurement Parameter Carbon Dioxide (CO2), Carbon Monoxide (CO), % Relative Humidity, Temperature, Differential Pressure
- ▶ Large Internal Memory (2000 points) for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- ▶ Active Internal Sampling Pump
- **▶** Wireless Communications with Bluetooth
- ▶ Easy to Use Menu System with Easy Built-in, Menu-driven Calibration Procedure

For more information visit our web site at:

https://www.tnp-instruments.com/aq-comfort-co-indoor-air-quality-meter.html

Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com
1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456





TPI 1008A Indoor Air Quality (IAQ) Meter Measure Carbon Dioxide and Ambient Temperature

Features

- ▶ Carbon Dioxide (CO2) Measurement 0 to 5000 ppm
- ▶ Measure Ambient Temperature -5°F to 140°F (-20°C to 60°C)
- ▶ CO2 Alarm Audible and Visual, selectable level
- ▶ Data Logging Up to 50 samples
- ▶ Record and display min, max & average values
- ▶ New! Print to optional printer Model A740 Infrared Printer
- ▶ Designed to meet the needs of testing professionals in ANY Air Quality applications

For more information visit our web site at:

https://www.tnp-instruments.com/tpi-1008a-indoor-air-quality-meter.html



TPI 1010A Multifunction Indoor Air Quality Measure CO2, CO, RH and % Outside Air

Features

- ▶ Calculate percent outside air to maintain acceptable CO2 levels in buildings and work spaces
- ▶ Measure and display Carbon Dioxide (CO2) and Carbon Monoxide
- ▶ Measure ambient air temperature
- ▶ Measure relative humidity, dew point and wet bulb
- ▶ Log up to 4,000 readings in 1 second to 1 hour intervals
- ▶ Download to a computer using the A368 USB cable
- ▶ New! Print via to optional Infrared printer (Model A740)

For more information visit our web site at:

https://www.tnp-instruments.com/aq pro indoor air quality meter.html



CO-50 Measure Carbon Dioxide and Ambient Temperature Meter with Intergral Probe

Features

- ▶ Carbon Monoxide (CO) Measurement 0 to 500 ppm
- ▶ Measure Ambient Temperature -4 to 176°F (-20 to 80°C)
- ▶ 4.5" (110mm) Long, 1" (26mm) Diameter Integral Sensor
- **▶** HOLD function
- ▶ Automatic shut-off
- ▶ IP54 Housing

For more information visit our web site at:

https://www.tnp-instruments.com/co-50-carbon-monoxide-meter.html





NEW - AMI 310 - Complete Multifunctional Instrument for Indoor Air Quality **BUILD YOUR OWN TOOL:**

Start with the Base AMI-310 Meter and then add the Optional Probes and Modules you need.

The NEW AMI 310 can measures up to 6 simultaneous parameters including pressure, temperature (Pt100 and thermocouple J, K, T, N and S), humidity, air quality (CO/CO2), air velocity, airflow (vane probes and hotwire), and tachometry when used with the Optional Interchangeable Add On Sensors and Probes Modules

Features

- Interchangeable modules 1 device = several possible ranges & parameters
- ▶ Optional Interchangeable Add On Sensors and Probes Modules **Sold Seperately**
- AMI 310 measures parameters including pressure, temperature (Pt100 and thermocouple), humidity, air quality (CO/CO2), air velocity, climate airflow (vane probes and hotwire), and tachometry



https://www.tnp-instruments.com/aim300_multifunction_indoor_air_quality_meter.html

CO-110S Carbon Monoxide Meter with 12" Probe

- Carbon Monoxide (CO) Measurement 0 to 500 ppm
- ► Measure Ambient Temperature -4 to 176°F (-20 to 80°C)
- ▶ 12" Integral Sensor with Retractable, length 18" (0.45 m), up to 8' (2.4 m) when released
- ▶ Minimum and Maximum Valuesf
- 2 Configurable Alarms

For more information visit our web site at:

https://www.tnp-instruments.com/co-110s-carbon-monoxide-meter.html

AQ 110S Indoor Air Quality (IAQ) Meter Measure Carbon Dioxide and Ambient Temperature

New advanced AQ-110S carbon dioxide and ambient temperature meter is a portable, highly accurate, durable, compact and user-friendly hand held instruments designed to meet the needs of testing professionals in ANY Air Quality applications. Ideal for Inspectors, Laboratories, HVAC, IAQ, Greenhouse, Office Spaces, Commercial, Residential, where carbon dioxide build up can cause environmental hazardous and safety concerns.

Features

- Carbon Dioxide (CO2) Measurement 0 to 5000 ppm
- ▶ Measure Ambient Temperature 0 to 176°F (-18 to 80°C)
- Minimum and Maximum Values
- ▶ HOLD function
- ▶ Adjustable automatic shut-off
- ▶ IP54 Housing

For more information visit our web site at:

https://www.tnp-instruments.com/aq110s-indoor-air-quality-co2-meter.html







T

Hand Held and Portable Indoor Air Quality (IAQ) and Test Instruments

NEW AQ PRO-VOC Environmental Indoor Air Quality Meter Kit WITH Volatile Organic Compounds (VOC) Sensor 0 to 20ppm

Features

- Measure 4 Parameters Volatile Organic Compounds (VOC)
 Relative Humidity, Ambient Temperature and Barometric Pressure
- ▶ Choose between 0 to 20 PPM or 0 to 200 PPM Volatile Organic Compounds (VOC) Sensor
- ▶ Upgradeable ADD Up to 2 Additional Gases Including Formaldehyde (CH2O)
- ▶ Active Internal Sampling Pump
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- ▶ 2000 Points Internal Memory for REAL-TIME Continuous Data Logging, PC Software & USB Included
- Designed and Manufacturing in the USA

For more information visit our web site at:

www.tnp-instruments.com/aq-pro-v-indoor-air-quality-meter.html



NEW AQ Pro Indoor Air Quality Meter Instrument for Environmental Test and Measurement Includes: % RH, Temperature, Barometric Pressure

Multiple Parameters - Up to 6 Tatal (Customize up to 3 Gases) Choose Any Three CO2, CO, Formaldehyde (CH2O), O2, NO, SO2, H2S, or NO2

Features

- ▶ REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- Wireless Communications with Bluetooth
- ▶ Active Internal Sampling Pump
- ▶ Light Weight, Durable, and Easy-to-Transport Design
- ▶ 2000 Internal Memory for REAL-TIME Continuous Data-Logging
- ▶ Optional Wireless Printer

For more information visit our web site at:

 $/www.tnp-instruments.com/portable_indoor_air_quality_meters.html\\$

New AQ-COMFORT Handheld Indoor Air Quality Monitor and Environmental Testing Meter Kits

Up to 6 Parameters - CO2, CO, % RH, Temperature, Barometric Pressure

Features

- ▶ 4 Models Avaliable
- ▶ Optional Internal Memory for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- ▶ Optional Wireless Communications with Bluetooth
- **▶** Differential Pressure and Temperature
- ▶ Optional PC Software and USB Cable
- ▶ Optional Protective Magnetic Rubber Boot
- **▶** Optional Handheld Probe

For more information visit our web site at:

/www.tnp-instruments.com/portable indoor air quality meters.html





Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com

1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456



TPI 1008A Indoor Air Quality (IAQ) Meter Measure Carbon Dioxide and Ambient Temperature

Features

- ▶ Two Models to Choose From
- ▶ Measure Ambient Temperature -5°F to 140°F (-20°C to 60°C)
- ▶ CO2 Alarm Audible and Visual, selectable level
- ▶ Data Logging Up to 50 samples
- ▶ Record and display min, max & average values
- ▶ New! Print to optional printer Model A740 Infrared Printer

For more information visit our web site at:

www.tnp-instruments.com/tpi-1008a-indoor-air-quality-meter.html



TPI 1010A Multifunction Indoor Air Quality Measure CO2, CO, RH and % Outside Air

Features

- ▶ Calculate percent outside air to maintain acceptable CO2 levels in buildings and work spaces
- ▶ Measure and display Carbon Dioxide (CO2) and Carbon Monoxide
- ▶ Measure ambient air temperature
- Measure relative humidity, dew point and wet bulb
- ▶ Log up to 4,000 readings in 1 second to 1 hour intervals
- ▶ Download to a computer using the Optional A368 USB cable
- ▶ New! Print via to optional Infrared printer (Model A740)

For more information visit our web site at:

/www.tnp-instruments.com/tpi-1010a-indoor-air-quality-meter.html



AQ-Expert Portable Indoor Air Quality Monitor Providing the latest in Monitoring for IAQ testing in Hospitals, Buildings, Schools, Labs, Clean Rooms, Airports and More

Features

- ▶ Available in two models, CO2 range PPM or 0 to 20%
- ▶ Base Unit Measures CO2, Temperature, RH, Barometric Pressure, Wet Bulb & Dew Point
- ▶ Customize by adding UP to 6 Gases) CO, VOC, O2, NO2, NO, Ozone, SO2, H2S or CH2O
- ▶ Active Internal Sampling Pump
- ▶ Large Internal Memory for REAL-TIME Continuous Data Logging for Graphs, Data Review, IAQ reports
- ▶ Wireless Communications with Bluetooth

For more information visit our web site at:

www.tnp-instruments.com/AQ_expert_portable_indoor_air_quality_meter.html

