

T

M

Industrial Portable Refrigerant and Combustible Gas Leak Detectors

Industrial TPI 750A Portable Refrigerant Leak Detector With 0.02 Oz/yr. Sensitivity

Features

- ▶ Capable of detecting all existing refrigerants and blends including 404A, PURON® and R-507 (AZ50®)
- ▶ Fully adjustable tic rate to eliminate background concentration and pinpoint leaks
- ▶ One hand operation
- ▶ Field replaceable sensor tips for easy maintenance

For more information visit our web site at:

www.tnp-instruments.com/750_753_refrigerant_leak_detectors.html



Industrial TPI 753A Portable Refrigerant Leak Detector with 0.1 Oz/yr. Sensitivity

Features

- ▶ Capable of detecting all existing refrigerants and blends including 404A, PURON® and R-507 (AZ50®)
- ▶ Fully adjustable tic rate to eliminate background concentration and pinpoint leaks
- ▶ One hand operation
- ▶ Field replaceable sensor tips for easy maintenance

For more information visit our web site at:

www.tnp-instruments.com/753a_refrigerant_leak_detectors.html



Industrial 7899 Hand Held Combustible Gas Leak Detector with Easy To Read Large LCD Display

Features

- ▶ Detect combustible gasses including Methane, Propane, Natural Gas, LPG, Hydrocarbons, etc.
- ▶ Visual LED screen & Audible Alarms
- ▶ Rugged, accurate, and highly sensitive
- ▶ Auto Zero Drift Adjustment
- ▶ Quick Response Time
- ▶ 11" Flexible probe to reach inaccessible places

For more information visit our web site at:

www.tnp-instruments.com/7899_combustible_Gas_leak_detector.html



Warning and Precaution

The Combustible GAS detector is a leak locating tool and is not intended for use as a confined-space, personal safety tool. It will not specifically identify a gas or a CFC, and it does not tell you the precise level of a combustible gas or CFC that may be present.

High concentrations of combustible gas/CFC can cause explosions, fires, asphyxia, and other hazards that could cause serious personal injury or death. Be informed on the characteristics and hazards of the gas/CFC you are working with, and use proper precautions to avoid hazardous atmospheres.

Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com
1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456



Industrial Portable Combustible Gas Leak Detectors

Industrial TPI 720B Economical Portable Combustible Gas Leak Detector

Features

- ▶ Gases Detected (partial listing): Acetone, Acetylene, Alcohol, Ammonia, Benzene, Butane, Ethanol, Ethylene Oxide, Gasoline, Hexane, Hydrogen, Methane, Naphtha, Natural Gas, Paint Thinners, Propane and Solvents
- ▶ Instant response
- ▶ 10ppm (methane) Sensitivity
- ▶ Adjustable tic rate
- ▶ Audio and Visual alarm indication with user adjustable alarm point For more information visit our web site at:

www.tnp-instruments.com/720B_combustible_Gas_leak_detector.html



Industrial TPI 721 Portable Combustible Gas Leak Detector with Bargraph LCD Display

Features

- ▶ Combustible Gas Leak Detector capable of displaying real ppm, stepped ppm, and %LEL (Lower Explosive Limit)
- ▶ Gases Detected (partial listing): Acetone, Acetylene, Alcohol, Ammonia, Benzene, Butane, Ethanol, Ethylene Oxide, Gasoline, Hexane, Hydrogen, Methane, Naphtha, Natural Gas, Paint Thinners, Propane and Solvents
- ▶ Instant response
- ▶ 10ppm (methane) Sensitivity
- ▶ Adjustable tic rate
- ▶ Audio and Visual alarm indication with user adjustable alarm point For more information visit our web site at:

www.tnp-instruments.com/721_combustible_Gas_leak_detector.html



Industrial TPI 775 Multifunction Hand Held Combustible Gas Detector and Ambient Carbon Monoxide

Features

- ▶ Combination Ambient Carbon Monoxide and Combustible Gas Leak Detector
- ▶ Gases Detected (partial listing): Acetone, Acetylene, Alcohol, Ammonia, Benzene, Butane, Ethanol, Ethylene Oxide, Gasoline, Hexane, Hydrogen, Methane, Naphtha, Natural Gas, Paint Thinners, Propane and Solvents
- ▶ 2 Line LCD Display
- ▶ Auto and Manual Zero
- ▶ Visible and Audible High and Low Alarm Included
- ▶ Flexible 16" gooseneck

For more information visit our web site at:

www.tnp-instruments.com/775_carbon_monoxide_combustible_Gas_leak_detector.html



Warning and Precaution

The Combustible GAS detector is a leak locating tool and is not intended for use as a confined-space, personal safety tool. It will not specifically identify a gas or a CFC, and it does not tell you the precise level of a combustible gas or CFC that may be present.

High concentrations of combustible gas/CFC can cause explosions, fires, asphyxia, and other hazards that could cause serious personal injury or death. Be informed on the characteristics and hazards of the gas/CFC you are working with, and use proper precautions to avoid hazardous atmospheres.

Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com
1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456



Industrial Portable Combustible Gas Leak Detectors

HXG-2D Sensit® Combustible Gas Leak Detector

Features

- ▶ Gases Detected (partial listing): Methane, Natural Gas, Ammonia, Hydrogen, Butane, Propane, Acetone, Gasoline, Halon, Jet Fuel, Refrigerants, Ethylene Oxide, Lacquer Thinner, Industrial Solvents
- ▶ Designed to meet UL 913 intrinsic safety (Approval Pending)
- ▶ Combustible Gas Leak Detector capable of displaying ppm or %LEL (Lower Explosive Limit)
- ▶ 10ppm (methane) Sensitivity
- ▶ Instant response
- ▶ Electronic tick rate control
- ▶ Audio and Visual alarm indication with settable alarm
- ▶ 16" Length Flexible Goose Neck Probe

For more information visit our web site at:

www.tnp-instruments.com/hxg-2d-combustible-gas-leak-detector.html



HXG-3 UL 913 Intrinsic Safety Rating Combustible Gas Leak Detector

Features

- ▶ Gases Detected (partial listing): Methane, Natural Gas, Ammonia, Hydrogen, Butane, Propane, Acetone, Gasoline, Halon, Jet Fuel, Refrigerants, Ethylene Oxide, Lacquer Thinner, Industrial Solvents
- ▶ UL 913 intrinsic safety rating*
- ▶ Combustible Gas Leak Detector capable of displaying ppm or %LEL (Lower Explosive Limit)
- ▶ 10ppm (methane) Sensitivity vInstant response
- ▶ Electronic tick rate control
- ▶ Audio and Visual alarm indication with settable alarm
- ▶ 16" Length Flexible Goose Neck Probe

For more information visit our web site at:

www.tnp-instruments.com/hxg-3-is-combustible-gas-leak-detector.html



* SENSIT® HXG-3 instruments are approved UL913, For Class 1, Division 1, Groups C, D, T3 hazardous locations when used with Duracell MN1400BK batteries or equivalent alkaline batteries.

Warning and Precaution

The Combustible GAS detector is a leak locating tool and is not intended for use as a confined-space, personal safety tool. It will not specifically identify a gas or a CFC, and it does not tell you the precise level of a combustible gas or CFC that may be present.

High concentrations of combustible gas/CFC can cause explosions, fires, asphyxia, and other hazards that could cause serious personal injury or death. Be informed on the characteristics and hazards of the gas/CFC you are working with, and use proper precautions to avoid hazardous atmospheres.

Temperature & Process Instruments Inc.

Visit us on the web at www.tnp-instruments.com
1767 Central Avenue * Suite 112 * Yonkers * NY * USA * 10710 * Phone: (914)673-0333 Fax: (866) 292-1456